



Proceedings of
XVI BALKAN MINERAL PROCESSING CONGRESS
Belgrade, Serbia, June 17-19, 2015



Mining Institute
Belgrade



Academy of Engineering
Sciences of Serbia



University
of Belgrade



Proceedings of
**XVI BALKAN MINERAL
PROCESSING CONGRESS**

Belgrade, Serbia, June 17-19, 2015

VOLUME I

55
years of
Mining
Institute
Belgrade

70
years of
Faculty
of Mining
and Geology
University
of Belgrade

**VOLUME
I**

Edited by

Nadežda Čalić, Ljubiša Andrić,
Igor Miljanović, Ivana Simović



MINING INSTITUTE BELGRADE

ACADEMY OF ENGINEERING SCIENCES OF SERBIA

UNIVERSITY OF BELGRADE

Proceedings of
XVI BALKAN MINERAL PROCESSING CONGRESS
Belgrade, Serbia, June 17-19, 2015



VOLUME I

Edited by

Nadežda Čalić, Ljubiša Andrić,
Igor Miljanović, Ivana Simović

2015

XVI BALKAN MINERAL PROCESSING CONGRESS BOOK OF PROCEEDINGS

Editors: Prof. Dr. Nadežda Čalić, Academy of Engineering Sciences of Serbia
Prof. Dr. Ljubiša Andrić, ITNMS and Academy of Engineering Sciences of Serbia
Prof. Dr. Igor Miljanović, University of Belgrade, Faculty of Mining and Geology
Dipl. Eng. Ivana Simović, Mining Institute Belgrade, Serbia

Congres Organizers and Publishers:



MINING INSTITUTE BELGRADE
11080 Belgrade, Batajnički put 2
Tel: + 381 11 21 99 277, fax: + 381 11 26 14 632,
e. mail: direktor@ribeograd.ac.rs, <http://www.ribeograd.ac.rs>



ACADEMY OF ENGINEERING SCIENCE OF SERBIA
Department for Mining, Geology and Systems Sciences
11000 Belgrade, Kraljice Marije 16
Tel: + 381 11 3370652, +381 64 11 27 533,
e. mail: ains@ains.rs, <http://www.ains.rs>



UNIVERSITY OF BELGRADE
11000 Belgrade, Studentski trg 1
Tel: + 381 11 3207400, fax: + 381 11 3207481
e. mail: kabinet@rect.bg.ac.rs, <http://www.bg.ac.rs>

For the publishers: MSc Milinko Radosavljević, director, Mining Institute Belgrade

Printed by: Colorgrafx, Belgrade

Issued in: 2015.

Circulation: 300

ISBN: ISBN 978-86-82673-10-1 (MI)

CIP - Каталогизacija у публикацији -
Народна библиотека Србије, Београд

622.7(082)

BALKAN Mineral Processing Congress (16th ; 2015 ; Belgrade)
Proceedings of XVI Balkan Mineral Processing Congress, Belgrade, Serbia,
June 17-19, 2015. Vol. 1 / [congress organizers] Mining Institute Belgrade
[and] Academy of Engineering Science of Serbia [and] University of Belgrade
; edited by Nadežda Čalić ... [et al.]. - Belgrade : Mining Institute :
Academy of Engineering Science of Serbia : University of Belgrade, 2015
(Belgrade : Colorgrafx). - VII, 589 str. : ilustr. ; 30 cm

Tiraž 300. - Str. VII: Foreword / Nadežda Čalić. - Bibliografija uz svaki
rad. - Registar.

ISBN 978-86-82673-10-1 (MI)

1. Čalić, Nadežda [уредник] [аутор додатног текста]
2. Mining Institute (Belgrade)
 - a) Руде - Припрема - Зборници

COBISS.SR-ID 215731468

Copyright ©: Mining Institute Belgrade, Academy of Engineering Science of Serbia, University of Belgrade.

XVI BALKAN MINERAL PROCESSING CONGRESS



HELD UNDER THE AUSPICES OF THE MINISTRY OF MINING AND ENERGY, AND FINANCIALLY SUPPORTED BY THE MINISTRY OF EDUCATION, SCIENCE AND TECHNOLOGICAL DEVELOPMENT OF REPUBLIC OF SERBIA

SPONSORS:

GENERAL SPONSOR



GOLDEN SPONSORS



SILVER SPONSOR



BRONZE SPONSOR



BMPC International Scientific Committee

President:

Prof. Dr. Güven Önal, Turkey

Vice President:

Prof. Dr. Ljubiša Andrić, Serbia

Members:

Prof. Dr. Gülhan Özbayoğlu, Turkey

Prof. Dr. Neşet Acarkan, Turkey

Prof. Dr. Georgios Anastassakis, Greece

Prof. Dr. Ivan Nishkov, Bulgaria

Prof. Dr. Dessislava Kostova, Bulgaria

Prof. Dr. Sanda Krausz, Romania

Dr. Eng. Viorica Ciocan, Romania

Prof. Dr. Nadežda Čalić, Serbia

Prof. Dr. Genç Demi, Albania

Assoc. Prof. Dr. Kimet Fetahu, Albania

Assoc. Prof. Dr. Nedžad Alić, Bosnia and Herzegovina

Dipl. Eng. Miroslav Glušac, Bosnia and Herzegovina

Prof. Dr. Boris Krstev, FYR Macedonia

Dipl. Eng. Boris Fidancev, FYR Macedonia

Prof. Dr. Shyqri Kelmendi, coreponding member

Honorary members:

Prof. Dr. Nadejda Davcheva-Ilcheva, Bulgaria

Prof. Dr. Paraschiv Ilie, Romania

Prof. Dr. Zeki Douğan, Turkey

Prof. Dr. Suna Atak, Turkey

Prof. Dr. Dušan Salatic, Serbia

XVI BMPC Organizing Committee

President:

Prof. Dr. Nadežda Čalić, Academy of Engineering Sciences of Serbia

Vice Presidents:

Prof. Dr. Ljubiša Andrić, Institute for Technology of Nuclear and other Mineral Raw Materials-ITNMS, and Academy of Engineering Sciences of Serbia

Dipl. Eng. Ivana Simović, Mining institute Belgrade

Prof. Dr. Igor Miljanović, University of Belgrade, Faculty of Mining and Geology

Members:

Dipl. Eng. Kostović Nebojša, Mining institute Belgrade

Dipl. Eng. Pavle Stjepanović, Mining institute Belgrade

Dr. Dragan Radulović, ITNMS Belgrade

Dipl. Eng. Nenad Milojković, Mining institute Belgrade

Dr. Vladan Milošević, ITNMS Belgrade

Dipl. Eng. Klara Konc Janković, Mining institute Belgrade

Mr. Dejan Todorović ITNMS Belgrade

Dipl. Eng. Dejan Lazić, Mining institute Belgrade

Dr. Milan Petrov, ITNMS Belgrade

Dipl. Eng. Jelena Čarapić, ITNMS Belgrade

Dr. Slavica Mihajlović, ITNMS Belgrade

Dipl. Eng. Ljubiša Spasić, Coal Basin Kolubara

Mr. Vladimir Jovanović, ITNMS Belgrade

Dipl. Eng. Slavko Slipčević, Power Plants and Mines Kostolac

Dr. Jovica Sokolović, University of Belgrade, Technical faculty at Bor

Mr. Zoran Bartulović, ITNMS Belgrade

Dr. Dragan Milanović, Mining and Metallurgy Institute Bor

Dipl. Eng. Branislav Ivošević, ITNMS Belgrade

Mr. Dejan Antić, University of Belgrade, Technical faculty at Bor

Dr. Zoran Stevanović, Mining and Metallurgy Institute Bor

Dipl. Eng. Maja Trumić, University of Belgrade, Technical faculty at Bor

Dr. Miroslav Ignjatović, Chamber of Commerce and Industry of Serbia

XVI BMPC Scientific Committee

Prof. Dr. Predrag Lazić

Prof. Dr. Milena Kostović

Prof. Dr. Zoran Marković

Prof. Dr. Milan Trumić

Prof. Dr. Grozdanka Bogdanović

Prof. Dr. Rodoljub Stanojlović

Honorary members:

Prof. Dr. Dragiša Draškić

Prof. Dr. Dušan Salatić

Prof. Dr. Stevan Puštrić

Prof. Dr. Jovo Pavlica

Prof. Dr. Slaven Deušić

Prof. Dr. Siniša Milošević

Prof. Dr. Nedeljko Magdalinović

Prof. Dr. Milorad Grujić

THE PRINCIPLES AND EXAMPLES OF KINETIC PERFORMANCE FOR DOMESTIC LEAD AND ZINC ORES

Boris Krstev¹, Aleksandar Krstev²

¹ Faculty of Natural and Technical Sciences, Goce Delcev University, Stip, FYR Macedonia

² Faculty of Computer Science, Goce Delcev University, Stip, FYR Macedonia

Abstract. Selective galena and sphalerite flotation in domestic Macedonian concentrators. The examples of kinetic characteristics in Sasa, Zletovo and Toranica. Special view of Matlab presentation of kinetic performance for different ore mineralization at the different mines. Flotation regime with impact for the metal recovery for lead and zinc. Comparison and discussion for obtained results for mentioned three mines.

Keywords: Selective flotation, Matlab, Kinetic, Sasa, Toranica

INTRODUCTION

In the possible and existing equations for flotation kinetic the assumption is such that velocity coefficient for anyones sulphide minerals (for example chalcopyrite or galena) is the constant k. The huge number of investigators, as A. Gupta, D.S. Juan had calculated the number of group models (*grouped tests for flotation*) or cumulative flotation from first order considering the following models:

- Clasical kinetic model, $I = I_0[1 - e^{-kt}]$
- Klimpel kinetic model, $I = I_0[1 - \frac{1}{kt}(1 - e^{-kt})]$
- Kelsal kinetic model, $I = (i_0 - \phi)(1 - e^{-kft}) + (1 - e^{-kst})$
- Modified Kelsal kinetic model – Gama model from Loveday, Innou, $I = I_0(1 - (\frac{k}{k+t})^p)$

The mentioned kinetic models are appropriate for presentation of the main flotation characteristic, *the flotation kinetic*, very important for everyone project solution or assumption for good and sure flotation performance. According to the existing or previous kinetic investigations for kinetic flotation (Clasical kinetic model) for different sulphide minerals, the above mentioned models and constant k for lead or zinc minerals will have the following equation (galena and sphalerite):

$$I_{PbS} = I_0 [1 - e^{-kt}] = 90.25 [1 - e^{-1.025xt}]$$

$$I_{ZnS} = I_0 [1 - e^{-kt}] = 83.25 [1 - e^{-1.025xt}]$$

According to the existing or previous kinetic investigations for kinetic flotation (Clasical kinetic model) for different minerals, the above mentioned models and constant k for lead and zinc minerals will have the following equation:

$$I = I_0 [1 - e^{-kt}] = 85.5 [1 - e^{-0.56xt}]$$

According to the existing or previous kinetic investigations for kinetic flotation (Clasical kinetic model) for different sulphide minerals, the above mentioned models and constant k for lead or zinc mineral will have the following equation:

$$I_{PbS} = I_0 [1 - e^{-kt}] = 90.2 [1 - e^{-0.61xt}]$$

$$I_{ZnS} = I_0 [1 - e^{-kt}] = 80.2 [1 - e^{-0.61xt}]$$

Kinetic flotation modeling of chalcopyrite using software tools

The applicable software packete for kinetic flotation modeling in **MATLAB®(R) GUI**, will be shown for concrete examples for copper minerals flotation enabling appropriate tabular or graphic presentation for Clasical kinetic model (I. Brezani, F. Zelenek), determining the constant k in the function of the time frequency of the useful reagent addition.

Comparison of the kinetic models
(Classical, Klimpel and Fully mixed model)
for constant κ and flotation time




Figure 1. Kinetic presentation by Matlab




Figure 6. Kinetic presentation by Matlab




Figure 2. . Kinetic presentation by Matlab




Figure 7. Kinetic presentation by Matlab




Figure 3. . Kinetic presentation by Matlab




Figure 4. . Kinetic presentation by Matlab




Figure 8. Kinetic presentation by Matlab

Table 1. Comparison of the kinetic models for flotation kinetic PbS (Sasa, Toranica)

(I%)	Classical model	Klimpel model	Fully mixed model
Time (s)	Mineral (%)	Mineral (%)	Mineral (%)
60	0.5723	0.3342	0.4407
120	0.7776	0.5132	0.5901
180	0.8513	0.6157	0.6652
240	0.8777	0.6784	0.7104
300	0.8872	0.7194	0.7407
360	0.8906	0.7477	0.7623
420	0.8918	0.7682	0.7785
480	0.8923	0.7837	0.7911
540	0.8924	0.7958	0.8012
720	0.9025	0.8299	0.8223

Table 2. Comparison of the kinetic models for flotation kinetic ZnS (Sasa, Toranica)

(I%)	Classical model	Klimpel model	Fully mixed model
Time (s)	Mineral (%)	Mineral (%)	Mineral (%)
60	0.5723	0.3342	0.4407
120	0.7776	0.5132	0.5901
180	0.8513	0.6157	0.6652
240	0.8777	0.6784	0.7104
300	0.8872	0.7194	0.7407
360	0.8906	0.7477	0.7623
420	0.8918	0.7682	0.7785
480	0.8923	0.7837	0.7911
540	0.8924	0.7958	0.8012
720	0.8325	0.8200	0.8100

CONCLUSION

According to the experimental results obtained in laboratory and industrial conditions, the Classical model is most appropriate for presentation of kinetic flotation, especially by means of MATLAB modeling.

REFERENCES

- Brezani, I. Zelenak, F., (2010). MATLAB® tool for determining first order flotation kinetic constants., Institute of Montanneous Sciences and Environmental Protection. Technical University of Kosice, BERG Faculty, Brezani, i. Zelenak, f., (2010). Matlab® tool for modeling first order flotation kinetics., Institute of Montanneous Sciences and Environmental Protection. Technical University of Kosice, BERG Faculty, Evgun L., Ekmekci Z., Gülsoy Ö., Benzur H., (2004). „Modelling and Simulation of Grinding Circuit in Magneuli Copper Concentrator”, Physicochemical Problems in Mineral Proceeding, 38(2004), 231-240, USA. Krstev A. PhD Thessis, 2012. Herbst, J. A. (1982). „The Application of Modern Control Theory to Mineral Processing Operations”, Proceedings 12th CMMI Congress. H. W. Glen, Editor, South Africa Inst. Min. Metall., Johannesburg, 779-823.